EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	190	703/28.cds.	USPAT	OR	ON	2006/09/14 14:31
L2	224	703/28.cds.	US-PGPUB; USPAT	OR	ON	2006/09/14 14:31
S1	3	("5574894" "5084814" "6421795").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 11:00
S2	1	"09943595"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 11:48
S4	14	("4238834" | "4833655" | "5274811" | "5475831" | "5619681" | "5944841" | "5978937" | "5991899" | "6018809" | "6055651" | "6094729" | "6115760" | "6143381" | "6154857").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:29
S5	147	change with trace with information	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:31
S6	607	(change with trace) same (data processor microproc$)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:32
S7	110	(change with trace) same (processor microproc$)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:33
S8	12	(modify$3 with trace) same (emulation)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:38
S9	3	(modify$3 near3 trace) same (emulation)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:35
S10	501071	(ice or "in-circuit emulator")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:42
S11	4715	trace with (memory buffer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:45
S12	543	S10 and S11	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 15:45
S13	102	S12 and (trace with (modify$3 chang$3 map$4 transform$))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 09:18
S14	501071	(ice or "in-circuit emulator")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 09:19

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S15	4715	trace with (memory buffer)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 09:19
S16	543	S14 and S15	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 12:10
S17	24	S16 and (trace with (export encrypt$4 decrypt$4 compress$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 09:20
S18	491	709/247.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 09:11
S19	87	S18 and (packet with compress$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 09:24
S20	194	S16 and (microprocessor processor CPU)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 12:12
S21	125	S16 and (trace with (microprocessor processor CPU))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/04 12:12
S22	13	("6243836").URPN.	USPAT	OR	OFF	2005/02/04 12:28
S25	178	703/28.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 09:25
S26	6	packet near2 resiz$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:33
S27	24	("4953157" | "5007051" | "5455825" | "5465288" | "5546389" | "5579312" | "5584038" | "5675813" | "5710908" | "5748629" | "5771230" | "5781533" | "5805822" | "5933430" | "6002669" | "6061504" | "6108550" | "6134245" | "6229823" | "6273622" | "6308062" | "6334161" | "6366590" | "6389016").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 12:19

EAST Search History

Ref	Hits	Search Query	Databases	Op	Plurals	Time Stamp
S37	17	microcomputer debug architecture	US-PGPUB; USPAT; USOCR	ADJ	OFF	2005/08/24 16:04
S38	0	(debug architecture) same parallel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2005/08/24 16:04
S39	1641	(trac$4 with external) same parallel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2005/08/24 16:17
S40	12	(US-20020069042-$ or US-20020161989-$ or US-20040073838-$).did. or (US-5006931-$ or US-5453980-$ or US-6185732-$ or US-6243836-$ or US-6304914-$ or US-6314530-$ or US-6639917-$ or US-6728210-$ or US-6732307-$).did.	US-PGPUB; USPAT	OR	OFF	2005/08/29 11:37
S41	8	S40 and parallel$4	US-PGPUB; USPAT	OR	ON	2005/08/24 16:05
S42	21	trac$4 with debug with parallel	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/24 16:22
S43	2	"08/992314"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/24 16:49
S44	1754	packet with split$5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/24 16:50
S45	95	packet with split$5 with size	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 12:11
S47	16488	protocol with conver$6	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 11:48
S48	206	"370/395.6".ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 14:58
S49	8	packet same (payload with rearrang$6)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 12:34
S50	117	trace with packet with (creat$4 or generat$4 or transmission or transmit)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 13:03
S51	940	"370/395.1".ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 13:38

EAST Search History

Ref	Hits	Search Query	Databases	Op	Plurals	Time Stamp
S28	637	((transmission adj2 rate) near5 convert$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:37
S29	124	S28 and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:18
S30	17	packet near5 resiz$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:33
S31	0	S28 and (resiz$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:37
S32	179	S28 and (siz$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:48
S33	60	convert$3 with ((token adj1 ring) with (ethernet ether-net))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 13:52
S35	9	convert$3 adj2 ethernet adj3 token adj1 ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/02/18 13:53
S36	12	(US-20020069042-$ or US-20020161989-$ or US-20040073838-$).did. or (US-5006931-$ or US-5453980-$ or US-6185732-$ or US-6243836-$ or US-6304914-$ or US-6314530-$ or US-6639917-$ or US-6728210-$ or US-6732307-$).did.	US-PGPUB; USPAT	OR	OFF	2005/02/22 17:51

EAST Search History

Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S72	14	(trace debug$4) with (NOP stall$4) with (transmi$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:17
S73	3067	(NOP stall$4) with (transmi$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:18
S74	258	(NOP stall$4) with (transmi$5) with (packet block)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:20
S75	22	S74 and trace	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:18
S76	1	(NOP stall$4) with (transmi$5) with (buffer) with empty	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:22
S77	0	stall with trace with transmission	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:22
S78	3	stall with trace with transmi$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:22
S79	8	trace with (off adj load$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:28
S80	1365	(halt stall stop) with transmi$5 with trac$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 12:29
S81	79	(halt stall stop) adj transmi$5 with trac$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 15:33
S82	1618	709/232-233.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 12:30
S83	6895	edwards.in.	USPAT	OR	OFF	2006/02/28 10:38
S85	615	(David and edwards).in.	USPAT	OR	OFF	2006/02/28 10:39
S87	7	(David adj2 edwards).in.	USPAT	OR	OFF	2006/02/28 10:40
S88	10	(David adj2 edwards).in.	USPAT	OR	OFF	2006/02/28 10:40
S89	6	(edwards).in. and hitachi.as.	US-PGPUB; USPAT	OR	OFF	2006/02/28 10:41
S90	1618	709/232-233.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 12:30
S91	0	S90 and (packet with (re adj siz$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 12:31

EAST Search History

Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S52	1249	"370/474".ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 14:58
S53	1717	SAR and ATM	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 14:59
S54	2466	Segmentation and ATM	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 14:59
S55	917	Segmentation with ATM	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 16:42
S56	1	"6744782"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 15:14
S57	14	"5930265"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 15:16
S58	2	"6389550"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 15:30
S59	7	packet adj converter and "709".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 15:58
S60	11	packet adj converter and "710".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 15:58
S61	102	Segmentation with ATM same (ethernet "802.3")	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 16:42
S66	18	(US-20040073838-$ or US-20030051122-$ or US-20040078690-$ or US-20020161989-$ or US-20020069042-$).did. or (US-6243836-$ or US-6314530-$ or US-6185732-$ or US-6041406-$ or US-6728210-$ or US-5006931-$ or US-6304914-$ or US-6732307-$ or US-6639917-$ or US-5453980-$ or US-5802051-$ or US-5570362-$ or US-5550819-$).did.	US-PGPUB; USPAT	OR		2006/02/27 10:26
S68	6	S66 and rate	USPAT	OR	OFF	2006/02/27 10:28
S69	76	trace with transmi$5 with rate	USPAT	OR	OFF	2006/02/27 10:37
S70	41	trace with transmi$5 with rate	US-PGPUB	OR	OFF	2006/02/27 10:37
S71	4	("5128632" | "5684434" | "5933058" | "5952890").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/27 11:33

EAST Search History

Ref	Hits	Search Query	Databases	Op	Default	Time Stamp
S108	50	trace and ((transmission adj rate) with greater)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 11:06
S109	46	packet with (segmentation assembly) with equal	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 11:07
S110	32	(NOP with transmission)	USPAT	OR	OFF	2006/03/01 12:55
S111	384	packet with packing	USPAT	OR	OFF	2006/03/01 12:55
S112	0	S111 and (overflow adj bit)	USPAT	OR	ON	2006/03/01 12:55
S113	2	S111 with (overflow)	USPAT	OR	ON	2006/03/01 12:59
S114	5	("20030091339" | "5473479" | "5781690" | "6549717" | "6654544").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 12:57
S115	0	S111 with (over adj flow)	USPAT	OR	ON	2006/03/01 12:59
S116	0	S111 with (excess with bit)	USPAT	OR	ON	2006/03/01 13:01
S117	1050	packet with PAD	USPAT	OR	ON	2006/03/01 13:01
S118	167	S117 and overflow	USPAT	OR	ON	2006/03/01 13:09
S119	10128	packet with multiple	USPAT	OR	ON	2006/03/01 13:09
S120	198	(packet adj size) with multiple	USPAT	OR	ON	2006/03/01 13:12
S121	31	(packet adj size) with (integ$4 adj multiple)	USPAT	OR	ON	2006/03/01 16:34
S122	3	packet with segmentation with (integ$4 adj multiple)	USPAT	OR	ON	2006/09/14 14:30
S123	28	packet with segment$7 with (integ$4 adj multiple)	USPAT	OR	ON	2006/03/01 16:35
S124	16	(US-20040213291-$).did. or (US-5751741-$ or US-5715252-$ or US-6594329-$ or US-5541852-$ or US-6728210-$ or US-6725391-$ or US-6545549-$ or US-6044396-$ or US-5404374-$ or US-5790398-$ or US-6654544-$ or US-6026451-$ or US-6229808-$ or US-6658620-$ or US-6728263-$).did.	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:54

EAST Search History

Ref	Hits	Search Query	Databases	Op	Default	Time Stamp
S92	0	S90 and (data with (re adj siz$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 12:31
S93	37	S90 and (rate with convert$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 16:48
S94	114408	segment$5 same (assembl$4 (re adj assembl$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 16:49
S95	1618	709/232-233.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 16:49
S96	17	S95 and S94	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/28 16:54
S97	376	S94 and "709".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:39
S98	1299	(current with packet) same (last with packet)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:40
S99	141	(current adj packet) same (last adj packet)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:48
S100	443	714/45.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:48
S101	123	(trace with export$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:48
S103	9	S100 and S101	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:56
S104	57	370/300.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 10:27
S105	696	370/394.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 09:57
S106	35	370/914.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 10:18
S107	1	"09943595"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/01 10:18

EAST Search History

S12 5	5	US-6442139-$.DID. OR US-6445696-$.DID. OR US-6724728-$.DID. OR US-6477164-$.DID. OR US-5745486-$.DID.	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:56
S12 6	268	packet adj split$4	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:56
S12 7	0	S126 and (uneven odd ("not" with (integ$4 adj multiple))) with size	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:58
S12 8	38	S126 and (uneven odd ("not" with (integ$4 adj multiple)))	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:58
S12 9	3	("5790398").URPN.	USPAT	OR	OFF	2006/03/01 17:12
S13 0	0	S129 and NOP	USPAT	OR	OFF	2006/03/01 17:12
S13 1	1	"5953339".pn.	USPAT	OR	OFF	2006/09/14 11:49